

Sophisticated Performance Refined


Sophisticated and cutting-edge, the P280 emphasizes the ease of use, quiet technology and unparalleled performance characteristic of Antec's Performance One series. This advanced enclosure comes equipped with features that will maximize your PC experience, from Quiet Computing™ panels & HDD drive bays, to grommet-lined cable routing holes with ample space behind the motherboard tray. The P280 accommodates motherboards up to XL-ATX and includes nine expansion slots to support up to four 13.0" / 330 mm graphics cards. And with convenient tool-less optical drive bays, easy-access front & bottom PSU intake air filters, two front panel USB 3.0 ports and an affordable price, you get an elite enclosure that will last you for builds to come.






SPECIFICATIONS:

- **11 drive bays:**
 - 3 x 5.25" tool-less drive bays
 - 2 x 2.5" drive bays (dedicated)
 - 6 x 3.5" / 2.5" drive trays with preinstalled silicone grommets
- **Motherboards:** XL-ATX [13.6" x 10.3" (345 mm x 262 mm)], Standard ATX, microATX, Mini-ITX
- **9 expansion slots**
- **Maximum graphics card size:** 13.0" (330 mm)
- **Maximum CPU cooler height:** 6.7" (170 mm)
- **Cooling System:**
 - 2 x 120 mm top TwoCool™ exhaust fans
 - 1 x 120 mm rear TwoCool™ exhaust fan
 - 2 x 120 mm internal intake fans (optional)
 - 2 x 120 mm front intake fans (optional)
 - Fan power hub: allows you to connect four 3-pin fans to a single Molex for improved cable management
- **Dual-layer 0.8 mm steel / polycarbonate side panels**
- **Triple-layer (aluminum, plastic, foam) front bezel with double-hinged door:** opens up to 270°
- **Water cooling support: rear water cooling grommets**
- **Enlarged CPU cutout**
- **Front I/O ports:**
 - 2 x USB 3.0 with internal motherboard connector
 - 2 x USB 2.0
 - Audio In/Out
- **Bottom-mount PSU with dedicated intake and filter**
- **Unit Dimensions:**
 - 526 mm (H) x 231 mm (W) x 562 mm (D)
 - 20.7" (H) x 9.1" (W) x 22.1" (D)
- **Package Dimensions:**
 - 575 mm (H) x 290 mm (W) x 630 mm (D)
 - 22.6" (H) x 11.4" (W) x 24.8" (D)
- **Net Weight:** 22.3 lbs / 10.2 kg
- **Gross Weight:** 26.5 lbs / 12.0 kg



- **High Performance:**
Compatible with up to 3-way NVIDIA® SLI® / 4-way AMD CrossFireX™



- **Superior Cable Routing:**
Grommet-lined cable routing holes with 30 mm of space behind the motherboard tray



- **Ease of Use:**
PSU intake & front air filters

UPC# 0-761345-82000-4

www.antec.com • 1-800-22ANTEC (US) / + 49-40-226-139-22 (EU)






SPECIFICATIONS:

- **11 drive bays:**
 - 3 x 5.25" tool-less drive bays
 - 2 x 2.5" drive bays (dedicated)
 - 6 x 3.5" / 2.5" drive trays with preinstalled silicone grommets
- **Motherboards:** XL-ATX [13.6" x 10.3" (345 mm x 262 mm)], Standard ATX, microATX, Mini-ITX
- **9 expansion slots**
- **Maximum graphics card size:** 13.0" (330 mm)
- **Maximum CPU cooler height:** 6.7" (170 mm)
- **Cooling System:**
 - 2 x 120 mm top TwoCool™ exhaust fans
 - 1 x 120 mm rear TwoCool™ exhaust fan
 - 2 x 120 mm internal intake fans (optional)
 - 2 x 120 mm front intake fans (optional)
 - Fan power hub: allows you to connect four 3-pin fans to a single Molex for improved cable management
- **Dual-layer 0.8 mm steel / polycarbonate side panels**
- **Triple-layer (aluminum, plastic, foam) front bezel with double-hinged door:** opens up to 270°
- **Water cooling support: rear water cooling grommets**
- **Enlarged CPU cutout**
- **Front I/O ports:**
 - 2 x USB 3.0 with internal motherboard connector
 - 2 x USB 2.0
 - Audio In/Out
- **Bottom-mount PSU with dedicated intake and filter**
- **Unit Dimensions:**
 - 526 mm (H) x 231 mm (W) x 562 mm (D)
 - 20.7" (H) x 9.1" (W) x 22.1" (D)
- **Package Dimensions:**
 - 575 mm (H) x 290 mm (W) x 630 mm (D)
 - 22.6" (H) x 11.4" (W) x 24.8" (D)
- **Net Weight:** 22.3 lbs / 10.2 kg
- **Gross Weight:** 26.5 lbs / 12.0 kg



- **High Performance:**
Compatible with up to 3-way NVIDIA® SLI® / 4-way AMD CrossFireX™



- **Superior Cable Routing:**
Grommet-lined cable routing holes with 30 mm of space behind the motherboard tray



- **Ease of Use:**
PSU intake & front air filters

UPC# 0-761345-82000-4

www.antec.com • 1-800-22ANTEC (US) / + 49-40-226-139-22 (EU)

